

SPECIFICATIONS

#27379

Zappers SG5 8200mAh 130C 7.6V Stick

#27380

Zappers SG5 6800mAh 130C 7.6V LP Stick

Model	27379	27380
Capacity	8200mAh	6800mAh
Voltage	7.6V (2S)	7.6V (2S)
Dimensions (mm)	139x47x25.1	139x47x22.5
Max. Charge Rate	16.4A	13.6A
Discharge Current	130C	130C
Weight (g)	318	285
Socket	5mm	5mm

<u>#27381</u>

Zappers SG5 6000mAh 130C 7.6V ULP Stick

#27382

Zappers SG5 6400mAh 90C 7.6V Shorty

Model	27381	27382
Capacity	6000mAh	6400mAh
Voltage	7.6V (2S)	7.6V (2S)
Dimensions (mm)	139x47x19.5	96x47x25.1
Max. Charge Rate	12.0A	12.8A
Discharge Current	130C	90C
Weight (g)	245	225
Socket	5mm	5mm



<u>#27383</u>

appers SG5 4800mAh 130C 7.6V Shorty

#27384

Zappers SG5 4800mAh 90C 7.6V LP Shorty

Model	27383	27384
Capacity	4800mAh	4800mAh
Voltage	7.6V (2S)	7.6V (2S)
Dimensions (mm)	96x47x25.1	96x47x20
Max. Charge Rate	9.6A	8.8A
Discharge Current	130C	90C
Weight (g)	205	165
Socket	5mm	5mm

<u>#27385</u>

Zappers SG5 3600mAh 130C 7.6V LP Shorty

<u>#27386</u>

Zappers SG5 8800mAh 90C 3.8V 1:12

Model	27385	27386
Capacity	3600mAh	8800mAh
Voltage	7.6V (2S)	3.8V (1S)
Dimensions (mm)	93x47x18.5	93x47x18.5
Max. Charge Rate	7.2A	17.6A
Discharge Current	130C	90C
Weight (g)	155	156
Socket	5mm	4mm



<u>#27387</u>

Zappers SG5 6600mAh 130C 3.8V 1:12

<u>#27388</u>

Zappers SG5 6550mAh 130C 15.2V Stick

Model	27387	27388
Capacity	6600mAh	6550mAh
Voltage	3.8V (1S)	15.2V (4S)
Dimensions (mm)	93x47x18.5	139x47x48.2
Max. Charge Rate	13.2A	13.1A
Discharge Current	130C	130C
Weight (g)	154	540
Socket	4mm	5mm

<u>#27389</u>

Zappers SG5 5200mAh 130C 15.2V LP Stick

<u>#27390</u>

Zappers SG5 6300mAh 90C 15.2V Shorty

Model	27389	27390
Capacity	5200mAh	6300mAh
Voltage	15.2V (4S)	15.2V (4S)
Dimensions (mm)	139x47x38.2	99x47x48.2
Max. Charge Rate	10.4A	12.6A
Discharge Current	130C	90C
Weight (g)	470	445
Socket	5mm	5mm



<u>#27396</u>

Zappers SG5 5200mAh HV-LiPo 4800mAh 90C 7.6V LP (Low Profile) Shorty

<mark>#27397</mark> Zappers SG5 HV-LiPo 4000mAh 130C 7.6V LP (Low Profile) Shorty

Model	27396	27397
Capacity	4800mAh	4000mAh
Voltage	7.6V (2S)	7.6V (2S)
Dimensions (mm)	96x47x20	96x47x20
Max. Charge Rate	9.6A	8.0A
Discharge Current	90C	130C
Weight (g)	165	170
Socket	5mm	5mm